




HJ-445
(standard)

The HJ-445 inverted louver blade equipment screen provides an effective and attractive sight screen around equipment and is designed for both interior and exterior installations. The HJ-445 is available in a wide array of finishes including custom color matching.

Standard Construction

Material: Mill finish 6063-T5 extruded aluminum

Frame: 3-1/4" × 1-1/2" × 1/8" thick (83 × 38 × 3) zee support

Blades: 45° × 0.081" (2) thick J-style

Mullion: Hidden

Minimum Size: 16-1/2" × 10-1/8" (419 × 257)

Maximum Size: Single section: 72" × 144" (1829 × 3658)
144" × 72" (3658 × 1829)
Multiple section: Unlimited

Shipping Weight (approximate): 2.9 lbs/ft² (14.1 kg/m²)

Ratings

Free Area: [48" × 48" (1219 × 1219) unit]: 8.46 ft² (0.79 m²)
52.9%

Design Load: 30 psf

Options

■ Factory finish:

- High Performance Fluoropolymer
- Baked Enamel
- Prime Coat
- Clear Anodize
- Integral Color Anodize


■ Heavy duty 0.125" (3) construction

■ Custom sections

■ Boxed or Mitered corner

■ Design Load: 60 psf


Attributes



Horizontal Mullion
(standard)



Vertical Mullion
(standard)




Side View

NOTE: Dimensions in parentheses () are millimeters.
Information is subject to change without notice or obligation.


Corner Views

HJ-445


Extruded Aluminum Sight Screen
4" deep • 45° Horizontal Inverted J-Blade



Boxed Corner
(optional)



Outside Mitered Corner
(optional)




Inside Mitered Corner
(optional)


Installation Views

HJ-445


Extruded Aluminum Sight Screen
4" deep • 45° Horizontal Inverted J-Blade




Boxed Corner



Outside Mitered Corner



Inside Mitered Corner



Vertical Section